	Application No.	Applicant(s)
Notice of Allowability	10/621,739	WEISS ET AL.
	Examiner	Art Unit
	Truc T. T. Nguyen	2833
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to a response filed on 12/20/06 and an interview on 1/25/07.		
2. ⊠ The allowed claim(s) is/are <u>1-3,6 and 9-14</u> .		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s)	E Malian of Information	totant Application
1. Notice of References Cited (PTO-892)	 5. ☐ Notice of Informal P 6. ☒ Interview Summary 	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	Paper No./Mail Da	te <u>1/25/07</u> .
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🛭 Examiner's Amendr	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Statement of Reasons for Allowance	
or broad and material	9. Other	V
		TRUCT. NOUYEN PRIMARY EXAMINER

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Brian Dingman on January 23, 2007.

The application has been amended as follows:

- Please cancel claim 18.
- Please amend claim 1 as follow:

1. A separable electrical connector for separably, electrically interconnecting the conductors of one multi-conductor cable to the conductors of a second multi-connductor cable, comprising:

at least two multi-conductor cables, each cable having a plurality of at least partiallyexposed conductors, with the exposed conductors of two of the cables in proximity to one another, at least one such cable being a multi-axial cable comprising at least two spaced coaxial conductors;

anisotropic conductive elastomer (ACE) in electrical contact <u>directly</u> with the exposed conductors that are in proximity to one another; and

Art Unit: 2833

mechanical structure that holds at least the multi-axial cable and compresses the ACE, to provide electrical signal paths between the conductors of the cables that are in proximity to one another through the ACE.

2. The following is an examiner's statement of reasons for allowance:

Claims 1-4, 6, 9-14 are allowed.

The prior art of record fails to teach the anisotropic conductive elastomer in electrically contact directly with the conductors of both flex cables.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Truc T. T. Nguyen whose telephone number is 571-272-2011. The examiner can normally be reached on 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paula Bradley can be reached on 571-272-2800 extension 33. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/621,739 Page 4

Art Unit: 2833

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Truc T. T. Nguyen Primary Examiner Art Unit 2833